```
[Output_None]
<fusedoc fuse="qry_getAllContacts.lasso" language="Lasso" specification="3.0">
<responsibilities>I get the all current contacts in the contacts table.</responsibilities>
<properties>
 <history author="Rich Tretola" date="10/07/2002" email="rich@lassofusebox.org" role="Architect"
type="Create"/>
 <history author="Tami Williams" date="5/1/2008" email="tami@asktami.com" type="Update" />
</properties>
<io>
 <out>
    <recordset name="getAllContacts" format="LDML" Scope="variables">
      <number name="ID" format="LDML" Scope="variables"/>
      <String name="First_Name" format="LDML" Scope="variables"/>
      <String name="Last_Name" format="LDML" Scope="variables"/>
      <String name="Company" format="LDML" Scope="variables"/>
      <String name="Phone_Number" format="LDML" Scope="variables"/>
      <String name="Title" format="LDML" Scope="variables"/>
      <String name="Sex" format="LDML" Scope="variables"/>
      <String name="Jobs" format="LDML" Scope="variables"/>
    </recordset>
 </out>
</io>
</fusedoc>
[/Output_None]



[Inline:
   $readCon,
   -InlineName='getAllContacts',
   -Table='People',
   -FindAll]

   [include: (LassoApp_Link: $debuginline)]

[/Inline]
```